

公司简介
Company Profile

广州博鸿复合材料有限公司是一家专注于特种胶粘制品及相关家居日用产品的专业制造商，拥有业内先进的胶带生产线、检测设备及加工工艺，公司自成立以来，引进并吸收国内外最先进的压敏粘合技术，经过8年全体员工不懈努力，依托自身的核心粘合技术，不断开发出适用于各行业近百个种类的高品质产品,主要涉及汽车、通讯、LED、日用、五金、建筑、太阳能光伏等行业。

公司一直致力于内部管理体系的完善提升，已取得ISO9001:2008国际质量体系认证,严格规范的管理体系为公司稳定的产品质量提供最有力的保障。


“对产品负责 让用户满意”是公司的核心经营理念，提倡：“诚信做人、用心做事、创新致远、实业兴邦” 的企业精神文化，努力不懈地为客户提供最优质的产品，最专业的服务，我们愿与合作厂商、客户一起,携手并进，共创双赢。


Guangzhou Bohong Composites Co.,LTD, is a professional manufacturer, focus on the adhesive products and related household daily-used products,which has advanced adhesive tape production line、testing equipment and processing technology...Since our company established,we introduce and absorb the most advanced pressure sensitive adhesive technology at home and abroad.after 8 years of unremitting efforts of all staff,based on its core bonding technoloygy,continuously developed hundred kinds of high quality products which are suitable for all industries,and mainly involved in Automotive ,Communications,LED,Necessary,Hardware,Construction,Solar Photovoltaic...so on.

The company has been committed to enhancing the internal management system, and have passed the ISO9001:2008 International quality system certification.Strictly standardized management system provides a guarantee of stable product quality for the company.

Responsible for products ,Delight the customers” is the core of company management idea. we encouraged “conduct myself faithfully,concentrate on work,innovation leads to the future development,solid work will revitalize the country” ,Try all the efforts to provide products with the best quality ,the most professional service,and we would like to cooperate with vendors , customers hand in hand to create a win-win business .

专业定制
Professional Customization





基 材 Backing material

■颜色挑选 Color

Black White Gray Transparent

■厚度 Thickness

8–4000um

■材质选择 Material

◎PE 泡棉 ◎ 亚克力泡棉 ◎ 无纺布 ◎ PET

◎PE foam ◎ Acrylic foam ◎Non–woven fabric ◎PET

胶 水 Glue

◎水胶
Water Activated

◎热熔胶
Hot melt

◎改性丙烯酸
Modified acrylic

◎导热胶
Thermal conductive adhesive

◎合成橡胶
Synthetic rubber

离型膜 Release film

●颜色挑选 Color

●克重 Weight(g/m²)
从35克/平方米至1500 克/平方米(可以更高)不等
35-1500g/ m2 (even higer)

●材质选择 Release film material
□ 淋膜离型纸 Film paper
□ CCK离型纸 CCK
□ PE □ 格拉辛纸 Glassine paper
□ 可按要求印刷 Can be printed as required

包 装 (按客户需求专业定制)
Packaging (According to the customer's request)



汽车内外饰件固定

For Automotive Interior&outerior attachment parts fixed solution



使用传统的机械固定方式如铆钉、焊接和螺丝等实现外饰件在车体上的结构性固定非常具有难度。因为这些传统的方法不适合玻璃、金属和塑料等不同材料之间的固定，甚至会对此类材料造成损坏。而胶带则可以将这些不同的材料简单地实现永久固定，同时对材料本身不造成任伤害。

全邦是用于结构性粘接的全新双面胶带产品系，也是我们性能最佳的一个产品系列。全帮专门为汽车行业开发的产品，适用于车身外饰件的永久固定。

Using the traditional mechanical method such as riveting, welding and screw fixed exterior trim on the car body structural fixed very difficult. Because the traditional methods are not suitable for fixing different materials such as glass, metal and plastic , even can cause damage to such materials. Whereasthe adhesive tape could simply realize the different materials permanently fixed, meanwhile wont damage the material itself.

Trustpoud is a new double-sided tape products for structural bonding,also our best performance products line.Trustpoud specializes in developing the products for Automotive, which are suitable for the automotive outerior parts permanent fixation.





扰流副翼
aeroflap



防擦条
body side molding



刹车灯扰流板
Brake lights spoiler



车门饰条
door edge molding



门槛饰条
doorsil trim



字牌
emblem



轮眉装饰条
Fender flares



大灯清洗器
headlight washer



停车距离感应器
prak distance sensor



B柱饰件
B pillar trim



车门槛板
rocker panel



导水槽饰条
roof ditch trim



车身行李架
roof rail



鲨鱼鳍天线
Shark fin antenna




行李箱饰条
trunk molding



窗框饰条
window frame


五金建筑
Hardware&construction






窗饰条
Window frame

PVC装饰条与玻璃的永久性粘接
Permanent fix for PVC decorative strips and glass



玻璃装配
Glass

在PVC型材上固定重型玻璃
Fix the heavy glass on the PVC profiles



门装饰面板
隐形固定装饰面板
Door decoration panel
Invisible fixed decorative panel

应对挑战：中和部件的不均匀热膨胀，适应户外状况。
Neutralize the uneven heat expansion of the parts.adapt to the outdoors




电梯：加强筋
Elevator: stiffener

加强筋与金属电梯门板间的高强度粘接
Fixation of metal plates to assemble elevator doors and frames



广告标识
Advertising logo

隐形的金属框架结构粘接
Invisiple fixation for metal frame strvcture



家具装饰条
Furniture decoration article

在玻璃或家具上牢固安装ＰＶＣ，中密度板
Firmly installed in glass or furniture PVC, MDF




为您带来：装配流程的优化
Bring you assembly process optimization

■瞬间固定，无需多余时间
Fixed instantly,no need extra time


■粘接过程干净简洁
Clean&tidy Bonding process

■无需挤压粘接处
Don't need to squeeze it

■无需额外工具
No extra tools



单面门板固定
Single side fastening




嵌入式门板
Door plank of embedded

电子行业
Electronics Industry

手机领域的使用实例
Solutions for the electronics industry



导热双面胶带系列
Thermal double-sided tape series



导热胶带分无基材和有基材两种，散热胶带具备良好的散热性，可以转移被粘物体表面的热量，常用于电子设备中需散热部件的固定和部件的散热或热点冷却，如CPU、显示器，电池等的散热。

Thermally conductive adhesive tape have two types,without backing &with backing,it has good heat dispersion,cantransfer the heat of the sticky surface,often used in fixing the electronic devices componet which need to heat dispersion sueh as CPU , displays, batteries and so on




产品编号 ITEM NO.	厚度 um Thickness	基材Carrier \胶粘剂	180°剥离强度g.f/inch Ped strength	导热系数 W/mk Heat conductivity coefficient	剪切强度 kg.f/in2 Shear strength	伸长率 % Elongation	初粘力 g.f/in2 Initial Tack	保持力h /kg.in2 Holding power	同等品 Equivalent
TD913	130	无基材导热胶 No carrier thermal conductive adhesive	1200±300	≥0.62	≥3000	150	≥24	1300	3M8805
TD925	250	无基材导热胶 No carrier thermal conductive adhesive	1200±300	≥0.62	≥3000	150	≥24	1300	3M8810
TD937	375	无基材导热胶 No carrier thermal conductive adhesive	1200±300	≥0.62	≥3000	150	≥24	1300	3M8815
TD950	500	无基材导热胶 No carrier thermal conductive adhesive	1200±300	≥0.62	≥3000	150	≥24	1300	3M8820
TD920W	200	网格玻纤/导热胶 Glass fiber grid Thermal conductive adhesive	1500±300	≥0.62	≥3000	150	≥24	1300	
TD925W	250	网格玻纤/导热胶 Glass fiber grid Thermal conductive adhesive	1500±300	≥0.62	≥3000	150	≥24	1300	

应用产品
Area of application


1.IC,CPU,MOS

2.LED,M/B,PS, HEAT SINK, LCD-TV, NB,PC

3.DDRLL Module, DVD Applicatins……



PE 泡棉胶带
PE Foam Tape



PE泡棉胶带是以高服帖性的IXPE泡棉为基材，使用改性丙烯酸胶系。泡棉胶带通常厚度较高，减震降噪性能好，适用于粗糙表面，可填补缝隙，补偿不同材料热膨胀差异，有白色与黑色两种颜色可选。

PE foam tape is with tight-fitting IXPE foam as the backing, using a modified acrylic adhesive system. Foam tape usually with higher thickness, good noise damping properties, suitable for rough surfaces,can fill the gap, to compensate the different thermal expansion of the materials, two colors white&black

性能和优势 Features and Benefits





特性 features	填充不平整表面 Fill the uneven surface ■ 部件之间粘接无缝隙 Adhesive without gap between components	++	-	++
	补偿应力影响 Stress effects ■ 在粘接处分散应力 In the stick it disperse stress ■ 改善热胀冷缩带来的影响 Improve the effects of heat bilges cold shrink	++	-	•
	减少锈蚀隐患 Reduce corrosion hazard ■ 使用机械固定容易损坏表面，增加锈蚀发生的可能性 Using mechanical fixed easily damage the surface, increase the likelihood of corrosion occurs	++	-	++
	起到密封作用 Sealing effect ■ 胶带有密封效果，阻挡潮湿和灰尘的侵实 Tape sealing effect, prevent moisture and dust invasion	++	•	++
装配 Assembly	装配快速便捷 Quick and easy assembly ■ 提高产量 To increase production ■ 相比胶水无需干燥 Compared with the glue without drying	++	•	-
	工作环境健康整洁 Work environment health clean and tidy ■ 对环境无害，优于使用胶水 Harmless to the environment, is better than that of using glue	++	•	•

++Very Good +Good •General - Lower

产品编号 ITEM NO.	基 材 CARRIER	基材颜色 CORRIER COLOR	胶系 GLUE	厚度 THICKNESS (UM)	耐温/℃ TEMPERATURE RES.	备注 REMARKS
TP0503	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	300um	-20~100	离型纸可选 Optional release paper
TP0505	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	500um	-20~100	离型纸可选 Optional release paper
TP1005	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	500um	-20~100	离型纸可选 Optional release paper
TP0808	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	800um	-20~100	离型纸可选 Optional release paper
TP1508	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	800um	-20~100	离型纸可选 Optional release paper
TP1510	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	1000um	-20~100	离型纸可选 Optional release paper
TP1010	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	1000um	-20~100	离型纸可选 Optional release paper
TP1515	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	1500um	-20~100	离型纸可选 Optional release paper
TP1520	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	2000um	-20~100	离型纸可选 Optional release paper
TP3020	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	2000um	-20~100	离型纸可选 Optional release paper
TP2030	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	3000um	-20~100	离型纸可选 Optional release paper
TP3040	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	4000um	-20~100	离型纸可选 Optional release paper
TP3050	IXPE	黑/白 Black/white	改性丙烯酸 Modified acrylic	5000um	-20~100	离型纸可选 Optional release paper

无纺布胶带
Non-woven tape






无纺布胶带是在无纺布基材的两面涂上高粘的感性胶水加上易剥的离型材料而成

Non-woven tape is coated with a viscous glue emotional plus easy-peel release paper from both sides of the nonwoven fabric substrate


性能和优势 Performance and advantages

- ■ 出色的抗剪切力
- ■ 对粗糙表面同时具备高初粘力和最终粘接力
- ■ 优秀的耐候性能，如光照、温度的升高等


- ■ Excellent resistance to shear force
- ■ The rough surface with high initial tack and final stick relay
- ■ Excellent weather resistance, such as illumination, temperature rises



贴服性
Perfect fitness



模切排废性能
Die cutting waste is converient




抗翘边性能
Resistance to become warped edge

产品编号 ITEM NO.	基 材 CARRIER	基材颜色 CARRIER COLOR	胶系 ADHESIVE BASE	厚度 THICKNESS (UM)	耐温/℃ TEMPERATURE RES.	备注 REMARKS
T500	无纺布 non-woven	半透明 translucent	丙烯酸 acrylic acid	140um	-20~100	低 VOC/Low VOC
T501	无纺布 non-woven	半透明 translucent	丙烯酸 acrylic acid	160um	-20~100	低 VOC/Low VOC
T502	无纺布 non-woven	黑 Black	丙烯酸 acrylic acid	160um	-20~100	低 VOC/Low VOC
T467	无	透明 Transparent	丙烯酸 acrylic acid	50um	-20~100	离型纸可选 Optional release paper
T468	无	透明 Transparent	丙烯酸 acrylic acid	130um	-20~100	离型纸可选 Optional release paper

应用领域 Areas of application

汽车内饰件 Automotive interior attachment parts






粘接和复合 Adhesive and composite

Trustpoud 全邦® 无纺布胶带的加强胶层特别适用于贴附塑料部件的难浸润部位和存在永久低负载的部件。

Trustpoud 全邦® Non-woven fabric tape strengthen rubber is particularly suited to attached with a plastic parts difficult to infiltrate and existence Permanent low load components.

- ■优秀的服贴性 perfect fitness
- ■优秀的模切性 Die cutting
- ■产品的稳定性可提高设备移动方向的运转速度 Stability of the product can improve the running speed of the equipment moving direction
- ■抗拉伸性 Tensile resistance
- ■低(VOC)特性 Low (VOC) characteristics



固定坚硬的部件 Fixed hard parts

Trustpoud 全邦® 无纺布胶带可实现轻负载，坚硬，粗燥部件水平或垂直位置的快速安全固定。与热熔胶的固定方式相比，胶带具有弥补公差和填补部件缝隙的优势。

Trustpoud 全邦® Non-woven tape can be underload, hard, coarse parts quickly and securely fixed horizontal or vertical position. Compared with the fixed way of hot-melt adhesive, adhesive tape have offset tolerance and advantage of the gap fill components.

- ■低VOC特性 Low VOC characteristics
- ■经量化解决方案 By the quantitative solution
- ■干净整洁的装配过程 Clean the assembly process
- ■对工人不产生伤害 Won't hurt the workers

电子行业 Electronics industry

1



装饰结构件固定（金属/非金属） Fixed adornment structure

- ■极高的粘接力保证长期可靠性 Very sticky relay to ensure long-term reliability
- ■优秀的抗推出及跌落性能 Excellent resistance to launch and drop performance
- ■极差环境条件下具有高抵抗力 Poor environmental conditions with high resistance

2



铭牌固定 Name plate fixed

- ■均衡的粘接性能以防止边缘翘起或脱落 Balanced adhesive performance to prevent edge camber or fall off
- ■降低溢胶 Reduce the glue
- ■HAF解决方案对固定金属提供非常可靠的粘贴性 HAF solutions provide very reliable paste on fixed metal

3



薄膜和金属薄片的固定 Fixed film and sheet metal

- ■对不规则表面，例如PCB有良好的初始粘性 For irregular surface, such as PCB good initial viscosity
- ■Mylar薄膜或铝箔的可靠固定 Areliable fixed tool film or aluminum foil
- ■具有可重定位和回收的特殊解决方案 A relocatable special solution and recycling

4



橡胶脚垫/缓冲垫固定 Rubber MATS/cushion fixation

- ■高粘接力以及耐老化性能以保证 Viscous relay and aging resistance performance in order to make sure
- ■长期稳定性 Long term stability
- ■高抗剪切力以防止滑移 High shear force to prevent slip


丙烯酸泡棉系列
Acrylic Foam Tape




Trustpoud 全邦® 丙烯酸泡棉系列 是一种用于结构性粘接的新型双面胶，具有最卓越的产品性能。 由高性能丙烯酸胶系组成，使其在粘接力，应力分散，耐温耐候上表现优异。

Trustpoud 全邦® Acrylic foam tape is a new type of double side adhesive tape used for structural Bonding, which has the most excellent performance .it is made from high performent acrylic adhesive .which has excellent performance on the bonding、stress dispersion and temperature and weather resistance




性能和优势 Performance and advantages






- ■ 高冲击力的吸收 High impact absorption
- ■ 超高的粘接强度 Ultra high bonding strength
- ■ 高粘弹性 High viscoelasticity
- ■ 补偿不同组件间的热膨胀变形
  Compensating thermal expansion deformation between the different components
- ■ 可长期使用的可靠粘接
  Reliable adhesive can use for a long time
- ■ 优秀的填补间隙能力
  Good ability to fill gaps
- ■ 高的永久应力（剪切）能力
  High ability of permanent stress (shear)

全邦卓越性能源于它具有粘弹性的基材，这使得它具有强大的粘接力，应力分散性能和极佳的耐温耐候性。
Outstanding performance is the result of its viscoelastic base material, which makes it has strong stick relay, stress dispersion performance and excellent heat resistance weather resistance.


高粘接强度 High bonding strength	应力分散 stress dissipation	耐温耐候性Heat resistance weather resistance
		

粘接强度 Bonding strength




产品性能可确保：
对于汽车外饰件和清漆等表面特性
不同的材料均具有强大的粘接力。
Product performance to ensure:
For car exterior trim and surface features such as varnish
Different materials have strong stick relay.

分散应力 Disperse stress



在整车寿命期间，由于车身及外饰件具有不同的热膨胀率，从而产生静态或动态应力并作用于粘接部位。
During the period of the vehicle life, due to the body and outside decoration Have different thermal expansion rate, resulting in a static or dynamic The state of stress and used for bonding parts.

耐温和耐候性 Heat resistance and Weather resistance




粘接性能可靠，具有极好的耐温、耐候、抗ＵＶ及耐化学性能。
Adhesive performance is reliable, has excellent heat resistance, Weather resistance, UV resistance and chemical resistance.

独有的服帖性 Unique adaptability



具有极好的服帖性，可用于曲线和拐角部分，无翘边现象。
The exllent adaptability, can be used in the curve And the corner part, without become warped edge.

防水密封 Waterproof seal



提供永久的密封性能，防止水和其他溶剂如清洗液的渗入，确保在整车寿命期间内出色的防水密封和防锈蚀性能。
Provide permanent sealing performance, prevent water and others Solvents such as cleaning fluid infiltration, ensure the vehicle life During the period of life excellent waterproof sealing and rust protection performance

防止噪音 To prevent noise



密实的闭孔泡棉结构结合优秀的粘接强度可显著减震降噪。
Dense closed-cell foam structure combined with excellent Bonding strength can significantly damping noise reduction.

产品编号 ITEM NO.	基 材 CARRIER	基材颜色 CARRIER COLOR	胶系 GLUE	厚度 THICKNESS (UM)	耐温/℃ TEMPERATURE RES.	备注 REMARKS
TA9802B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	250um	-20~120	离型纸可选 Optional release paper
TA9803B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	300um	-20~120	离型纸可选 Optional release paper
TA9804B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	400um	-20~120	离型纸可选 Optional release paper
TA9805B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	500um	-20~120	离型纸可选 Optional release paper
TA9806B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	600um	-20~120	离型纸可选 Optional release paper
TA9808B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	800um	-20~120	离型纸可选 Optional release paper
TA9810B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	1000um	-20~120	离型纸可选 Optional release paper
TA9812B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	1200um	-20~120	离型纸可选 Optional release paper
TA9815B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	1500um	-20~120	离型纸可选 Optional release paper
TA9820B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	2000um	-20~120	离型纸可选 Optional release paper
TA9825B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	2500um	-20~120	离型纸可选 Optional release paper
TA9830B/ G/W/C/P	亚克力泡棉 Acrylic foam	黑/白/灰/透明 Black/White/Grey/Transparent	改性丙烯酸 Modified acrylic	3000um	-20~120	离型纸可选 Optional release paper

汽车行业 Automotive industry



五金建筑 Hardware & construction



成品玻璃隔断融入玻璃的透明明元素，直接粘接或使用H型材
finished glass partition into the glass Glass TouMingMing elements, straight The adhesive or use H profile



电梯：控制面板电梯轿厢内的金属控制面板粘接
Within the elevator, the elevator control panel capsules bonding metal control panel



空调和热系统：装饰玻璃在空调和热能系统上隐形固定彩色玻璃面板
Air conditioning and heating system: decorative glass on the air conditioning and thermal system invisible fixed stained glass panels



照明面板在灯具外壳上可靠粘接玻璃
Outside the lamps and lanterns lighting panel Reliable bonding glass shell



太阳能组件太阳能玻璃与背部支架系统的持久固定
Solar solar glass the persistent and back support system fixed



隐形固定
应对挑战：中和部件的不均匀热膨胀。
Invisible fixed Challenge: and parts Uneven heat expansion.

挂钩胶系列
Hook adhesive series



挂钩胶是以特殊泡棉材料为基材，在其两面涂布强力粘合剂，粘性强、广泛用于各种贴着固定用途

用途：

1.用于衣帽挂钩的固定
2.玩具，相框以及各种塑料件的固定
3.各种装饰材料的固定，移去无残胶

Hook adhesive tape is made from a special foam material as carrier,coated with powerful adhesive , on both sides.its strong adhesion,widely used in all kinds os the fixation


1. Used for the coat hook fixation
2. Toys,frame and kinds of plastic fixation
3. All kinds of decorative materials fixed, remove without residue



产品编号 ITEM NO.	基 材 CARRIER	基材颜色 CARRIER COLOR	胶系 ADHESIVE BASE	厚度 THICKNESS (UM)	耐温/℃ TEMPERATURE RES.	备注 REMARKS
TG1010	PE	黑/白 Black/White	合成胶 Synthetic rubber	1000um	0~80	离型纸可选 Optional release paper
TG1012	PE	黑/白 Black/White	合成胶 Synthetic rubber	1200um	0~80	离型纸可选 Optional release paper
TG1015	PE	黑/白 Black/White	合成胶 Synthetic rubber	1500um	0~80	离型纸可选 Optional release paper

挂钩应用 Hook application





贴服性
Exllent adaptability



抗拉伸性
Tensile resistance

PET胶带系列
PET Tape Series





PET胶带是以优质PET透明薄膜为基材，双面涂覆高性能丙烯酸压敏胶而制成。有很好的粘接力和保持力抗老化。主要用于智能手机，移动电话，平板电脑，笔记本，电视机及显示器

PET tape is made from high-quality PET transparent film as backing, coated with high performance acrylic adhesive on both sides,which has good adhesion,paul holding force and anti-aging.It mainly used in smart phones,mobile phones ipads ,laptops ,Televisions and Display

产品编号 ITEM NO.	基 材 CARRIER	基材颜色 CARRIER COLOR	胶系 GLUE	厚度 THICKNESS (UM)	耐温/℃ TEMPERATURE RES.	备注 REMARKS
T6008C/B	PET	透明/黑 Transparent/black	改性丙烯酸 Modified acrylic	8um	-20~150	离型纸可选 Optional release paper
T6010C/B	PET	透明/黑 Transparent/black	改性丙烯酸 Modified acrylic	10um	-20~150	离型纸可选 Optional release paper
T6015C/B	PET	透明/黑 Transparent/black	改性丙烯酸 Modified acrylic	15um	-20~150	离型纸可选 Optional release paper
T6030C/B	PET	透明/黑 Transparent/black	改性丙烯酸 Modified acrylic	30um	-20~150	离型纸可选 Optional release paper
T6050C/B	PET	透明/黑 Transparent/black	改性丙烯酸 Modified acrylic	50um	-20~150	离型纸可选 Optional release paper
T6080C/B	PET	透明/黑 Transparent/black	改性丙烯酸 Modified acrylic	80um	-20~150	离型纸可选 Optional release paper
T6100C/B	PET	透明/黑 Transparent/black	改性丙烯酸 Modified acrylic	100um	-20~150	离型纸可选 Optional release paper
T6125C/B	PET	透明/黑 Transparent/black	改性丙烯酸 Modified acrylic	125um	-20~150	离型纸可选 Optional release paper
T6160C/B	PET	透明/黑 Transparent/black	改性丙烯酸 Modified acrylic	160um	-20~150	离型纸可选 Optional release paper
T6205C/B	PET	透明/黑 Transparent/black	改性丙烯酸 Modified acrylic	205um	-20~150	离型纸可选 Optional release paper

			PET（聚酯薄膜） PET (polyester film)
优化性能 Optimize performance	■ 优化性能/不对称设计 Optimize performance/asymmetrical design	■ 平衡不同表面的粘接力 Stick on the surface of the balance of different relay	
服帖性 Adeptability	■ 超薄的PET基材 Ultra-thin PET carrier	■ 增加薄厚度胶带的粘接性能 Increase the thickness of the thin tape of the adhesive performance ■ 增加对曲面的服帖性 Increase lifted to the surface	
易操作 Easy to operate	■ 厚PET基材 Thick PET carrier	■ 在模切中易于操作和固定 In the mold to easy to operate and fixed	
高粘性 High viscosity	■ 两面涂胶量同 On both sides with glue ■ 高耐湿性 High wet resistance ■ 优透的抗震性 Optimization of earthquake-resistance	■ 极长期的防止剥离 Very long to prevent stripping ■ 适合合种设计 Suitable for kinds of design	
可重工 Can be reworked	■ 初步或永久可移除一侧 On the side of preliminary or permanent can be removed ■ 可移除 Can be removed	■ 永久可重工或回收 Permanent and heavy industry or recycled ■ 最初可重工方便定位 original can be heavy and convenient location	
抗反弹 Anti-rebound	■ 非常薄和有弹性的基材 Very thin and elastic base material	■ 避免在曲面翘起 Avoid the tilted surface ■ 能够承受FPC的 Able to withstand the FPC	






显示屏缓冲垫与 Gasket 固定
Fixed display cushion and Gasket
■牢固粘贴泡棉 Solid paste foam
■高抗湿性 Wet resistance
■产品具有初始或永久可移除性
Products can be removed no matter initial or permanent fixation



缓冲垫与薄膜固定
Cushion and thin film is fixed
■牢固粘贴泡棉 Solid paste foam
■窄幅模切 A narrow die cutting
■良好的尺寸稳定性可以防止在装配过程中拉长
Good dimensional stability can prevent the assembly in the process of spin



反射片与BLU或 指示灯间的固定
Fixed between the reflector plate with BLU or light
■最低厚度下拥有高剥离力
Minimum thickness has high peel strength
■窄幅模切
A narrow die cutting
■良好的耐温性
Good temperature resistance




反射片与外壳粘贴
Reflector plate and shell paste
■牢固粘贴性能
Solid paste performance
■高温下具有高抗反弹力
High temperature with high rebound
■产品具有初始或永久可移除性
Products with initial or permanent can be removed



光学膜固定
Optical film fixed
■牢固，薄的PET基材为复杂的模切件提供安全稳定性
Firm, thin PET die cutting parts to provide stability of the base material for complex
■黑色胶带将透光率减少到 < 0.01%
Black tape to reduce light transmittance to < 0.01%



FPC与PCB粘贴
FPC PCB paste
■最低厚度下具有高粘贴性能
Minimum thickness of high paste performance
■电绝缘性以防止短路
Electrical insulation to prevent short circuit
■抗反弹性能以防止翘起
Rebound resistance to prevent the cock



FPC固定
FPC fixed
■高剥离力（特别在PI上）
High stripping force (especially on the PI)
■高温下高抗反弹性能
High temperature high rebound performance
■光学管理胶带（单面）
Optical management tape (single)




PCB遮蔽
PCB cover
■在装配过程中高初粘力
At the beginning of the assembly process and high viscous force
■高抗反弹FPCB弯曲压力
High rebound FPCB bending stress



IC 遮蔽
IC masking
■高剥离力（特别是在聚酰胺上）
High stripping force (especially on polyamide)
■服帖性方案用于粘贴不平整表面
Apply during sex scheme is used to paste the uneven surface
■电气绝缘以防止短路
Electrical insulation to prevent short circuit



LED灯条遮蔽
LED lights article covered
■优秀的光阻隔性能
light of the excellent blocking performance
■电气绝缘以防止短路
Electrical insulation to prevent short circuit
■不同表面高粘性
Different surface high viscosity



LED灯条固定
Article LED lights fixed
■不平整表面高粘性
Uneven surface of high viscosity
■优秀的耐温性
Good temperature resistance
■优秀的光阻隔性能
light of the excellent blocking performance



CFL 套管固定
CFL tube fixed
■高耐温性
High temperature resistance
■优秀的窄幅模切件可模切性
Excellent narrow die cut into pieces can die cutting
■可重工方案更优化
More optimization scheme for heavy industry


防水泡棉胶带系列
Waterproof foam tape series

防水泡棉胶带是指具备防水密封功能的胶带，应用于粘接和保护电子设备中的部件，如触摸面板、LCD前屏等，防止湿气侵入对设备造成伤害。

Waterproof foam tape is the tape which have waterproof,sealing function,applied to stick and protect the electronic equipment.such as touch panel,LCD screen,etc, to prevent moisture intrusion thus damage the equipment.

性能和优势 Performance and advantages

Pe泡棉 PE foam



优秀的填充较大间隙能力
Excellent filling large gap

密封性能优异
Sealing performance

高抗震性和应力吸收能力
High shock resistance and stress absorbing ability

优秀的补偿公差能力
Excellent ability of compensation of tolerance

部分产品的泡棉基材含有PET加强膜
Some products of foam carrier containing PET film

超薄的泡棉基材产品可选
Ultra-thin foam carrier material products are optional

黑色泡棉有助于遮光
Shading because of black foam

产品编号 ITEM NO.	基 材 CARRIER	基材颜色 CARRIER COLOR	胶系 GLUE	厚度 THICKNESS (UM)	耐温/℃ TEMPERATURE RES.	备注 REMARKS
TF5015B	PE	黑Black	改性丙烯酸 Modified acrylic	150um	-20~100	离型纸可选 Optional release paper
TF5020B	PE	黑Black	改性丙烯酸 Modified acrylic	200um	-20~100	离型纸可选 Optional release paper
TF5025B	PE	黑Black	改性丙烯酸 Modified acrylic	250um	-20~100	离型纸可选 Optional release paper
TF5030B	PE	黑Black	改性丙烯酸 Modified acrylic	300um	-20~100	离型纸可选 Optional release paper
TF5035B	PE	黑Black	改性丙烯酸 Modified acrylic	350um	-20~100	离型纸可选 Optional release paper
TF5040B	PE	黑Black	改性丙烯酸 Modified acrylic	400um	-20~100	离型纸可选 Optional release paper
TF5045B	PE	黑Black	改性丙烯酸 Modified acrylic	450um	-20~100	离型纸可选 Optional release paper
TF5050B	PE	黑Black	改性丙烯酸 Modified acrylic	500um	-20~100	离型纸可选 Optional release paper

电子产品应用
Electronic product applications





视窗粘贴
Windows paste


■优秀的抗推出性能及高抗跌落性能

■不同环境条件下都具有高可靠性
Has a high reliability under different environmental conditions











显示屏缓冲垫与Gasket固定
Fixed the display cushion and Gasket


牢固粘贴泡棉
Firmly stick the foam


高抗湿性
High moisture resistance


产品具有初始或永久可移除性
The product has initial or permanent removability













防滑胶带系列
Anti-slip tape series

高硬度金刚砂表面。适合室内外长期使用，抗紫外线老化。耐候性好，适合不同温度湿度溶解度环境使用。加强型亚克力背胶，高韧性PET基材，耐用持久型。

High hardness silicon carbide surface,which are suitable for using long-term indoor and outdoor.Its anti- UV aging and excellent weather resistance performance are suitable for using in different temperature 、 humidity, and solubility condition... Reinforced back acrylic adhesive and high tenacity PET carrier material ,which can be used durably.and lastingly.



性能和优势 Performance and advantages



■强韧结实的基材 Strong backing material
■极高粘接力 Very sticky relay
■抗UV UV resistance

■多种颜色与组合及荧光可选，可专业定制
Varieties color and fluorescent are available,also can be professional customization

产品应用 Product application

① 器械：滑板、滑板车、跑步机、健身器、车床及印刷机踏脚板、公共汽车上的通道、梯级
Equipment: skateboard, scooter, treadmills, exercise machine, lathe and press foot pedal, the bus channel, cascade

② 场所：幼儿园、学校、泳池、敬老院、车站、地铁火车站台、码头、酒店、会所、厨房、卫生间、运动场、健身娱乐室、电梯入口、人行斜坡、货场、工作区和甲板等场所。
Place: kindergarten, school, swimming pool, nursing homes, railway stations, subway train station, wharf, hotels, clubs, kitchen, bathroom, sports, fitness room, elevator entrance, pedestrian ramp, freight yard, workspace and the deck and so on.



③ 还可用于康乐游览车、轮船、拖车、卡车、飞机悬梯、大型或小型动力设备上。
Can also be used for recreation tour buses, ships, trailer, truck, aircraft, stairs, large or small power devices.














产品编号 ITEM NO.	基 材 CARRIER	基材颜色 CARRIER COLOR	胶系 GLUE	厚度 THICKNESS (UM)	耐温/℃ TEMPERATURE RES.	备注 REMARKS
TH5035-150X	PET	红、黄、黑、紫、灰 荧光、斑马纹 Red,yellow,black,purple,grey, fluorescence,zebra	改性丙烯酸 Modified acrylic	350-1500	-20-100	离型纸可选 颜色可定制 optional release paper , color can be customized
TH6035-150X	PVC	红、黄、黑、紫、灰 荧光、斑马纹 Red,yellow,black,purple,grey, fluorescence,zebra	改性丙烯酸 Modified acrylic	350-1500	-20-100	离型纸可选 颜色可定制 optional release paper , color can be customized
TH7035-150X	铝箔 Aluminum foil	红、黄、黑、紫、灰 荧光、斑马纹 Red,yellow,black,purple,grey, fluorescence,zebra	改性丙烯酸 Modified acrylic	350-1500	-20-100	离型纸可选 颜色可定制 optional release paper , color can be customized
TH8035 -150	亚克力 Acrylic	红、黄、黑、紫、灰 荧光、斑马纹 Red,yellow,black,purple,grey, fluorescence,zebra	改性丙烯酸 Modified acrylic	350-1500	-20-100	离型纸可选 颜色可定制 optional release paper , color can be customized


地面标识 Ground mark
为飞机，轮船和轨道机车内部提供专业的解决方案
For aircraft, ships and rail locomotives the department provides professional solutions




隔绝保护 Isolation protection
为飞机，轮船和轨道机车内部提供专业的隔绝保护胶带解决方案
Machine for aircraft, ships and orbit Inside the car to provide professional isolation protection Tape solution




地面标识 Ground mark
为飞机，轮船和轨道机车内部提供专业的地毯固定胶带解决方案
For aircraft, ships and rail locomotives The department provides professional carpet tape The solution



临时固定 Temporary fixed
为飞机，轮船和轨道机车内部提供保护面板临时固定胶带解决方案
For aircraft, ships, and rail locomotives to provide temporary fixed protection panel set the tape solution



临时表面保护 Temporary surface protection
为飞机，轮船和轨道机车内部提供临时表面保护胶带解决方案
For aircraft, ships and rail locomotives Department to provide temporary surface protection tape solution Never plan



防滑保护 Anti-skid protection
为飞机，轮船和轨道机车内部提供专业的防滑胶带解决方案
For aircraft, ships, and rail locomotives provide professional anti-slip tape inside The solution

