

HPR8401 DVB-T/T2 HD SET TOP BOX			
PACKAGING: GIFT BOX PACK	Container Quantity		
Qty per export carton: 40 pcs	20"	40"	40"HQ
Carton meas.:525x405x370MM	14700 pcs	28000 pcs	34000pcs
Meas. per export carton			
G.W:21.6KGS			
N.W:21.0KGS			
<b>● SPECIFICATION:</b>			
<b>Feature</b>	1. Fully SD/HD DVB-T/T2, SD/HD MPEG2/MPEG4 AVC/H.264/HEVC/H.265		
	2. Full HD,support up to 1080P		
	3.Auto and manually scan all available TV and radio channels		
	4.Aspect ratio 16:9 and 4:3		
	5.HDMI, YUV, RCA, coaxial output		
	6.Multi-language subtitle output supported		
	7.Powerful and highly effective 7-day EPG function		
	8.Supports teletext		
	9.Parental lock		
	10.PVR, timeshift via USB 2.0		
	11.Multimedia playback and software upgrade via USB 2.0		
	12.Stores up to 1,000 programs		
	13.Youtube support		
<b>Tuner</b>	RF input frequency: 44-1002Mhz		
	Bandwith: 6/7/8MHz		
	Input level: -83dBm		
	Signal input: IEC-type female		
<b>Multimedia format:</b>	Picture: JPEG,BMP,PNG		
	Audio: MP3,WMA, AC3		
	Video: MKV、AVI、DIVX、XVID、MOV、VOB、FLV、TS、MP4、MPEG		
	Demodulation: QPSK, 16QAM, 64QAM, 256QAM		
	Code Rate: 1/2, 3/5,2/3, 3/4, 4/5, 5/6		
	Guard: from 1/128 to 1/4		
	FFT Mode: from 1K to 32K		
<b>Front panel</b>	LED display		
	USB :for firmware upgrade, PVR and multimedia playback		
	Function buttons		
<b>Rear panel o</b>	HDMI 576i, 576p, 720p and 1080i,1080P		
	Loop through output: IEC-type, connector, single tuner		
	Coaxial: RCAX1 (optional)		
	YpbPr RCAX3 (optional)		
	L/R audio RCAX2		

	CVBS
	SCART
<b>others</b>	Mpeg transport stream and A/V decoding
	Video standard: MPEG-4 AVC/H.264 HP@L4
	SCART video model CVBS/RGB (for Europe)
	Aspect ratio: 4:3, 16:9
	Video resolution: 576i, 576p, 720p and 1080i,1080P
	Audio standard: ISO/IEC 14.496-3,AAC,AAC+
	Audio mode: mono, dual-channel, stereo
Standard:DVB-T(ETSI EN 300 744), DVB-T2(ETSI EN 302 755)	





